

CITY OF LA VISTA
MAYOR AND CITY COUNCIL REPORT
SEPTEMBER 21, 2010 AGENDA

Subject:	Type:	Submitted By:
AUTHORIZATION TO PURCHASE SINGLE AXLE DUMP TRUCK	◆ RESOLUTION ORDINANCE RECEIVE/FILE	JOE SOUCIE PUBLIC WORKS DIRECTOR

SYNOPSIS

A resolution has been prepared authorizing the purchase of a 2011 International 7300 SFA 4x2 Dump Truck from Cornhusker International Trucks, Inc., Omaha, Nebraska for an amount not to exceed \$134,100.00.

FISCAL IMPACT

The FY 2010/11 General Fund Street Operating budget provides funding for the purchase of one single axle dump truck.

RECOMMENDATION

Approval

BACKGROUND

The dump truck purchase is to replace a 1988 Chevy Single Axle Dump Truck which has been out of service since February 2010 with a broken transmission. The truck will be sold as is via auction or sealed bid.

The chassis and cab purchase are being made from a current City of Omaha contract #527388. The body and equipment are being purchased from the State of Nebraska contract #12720(OC). Delivery time for the new truck is 90-120 days.

RESOLUTION NO._____

A RESOLUTION OF THE MAYOR AND CITY COUNCIL OF THE CITY OF LA VISTA, NEBRASKA, AUTHORIZING THE PURCHASE OF A 2011 INTERNATIONAL 7300 SFA 4X2 DUMP TRUCK FROM CORNHUSKER INTERNATIONAL TRUCKS, INC., OMAHA, NEBRASKA, IN AN AMOUNT NOT TO EXCEED \$134.100.00.

WHEREAS, the City Council of the City of La Vista has determined that the purchase of said dump truck is necessary; and

WHEREAS, the FY 2010/11 General Fund Street Operating Budget provides funding for said purchase; and

WHEREAS, the purchase will be from the State of Nebraska Contract #12720(OC) and City of Omaha contract #527388; and

WHEREAS, Subsection (C) (9) of Section 31.23 of the La Vista Municipal Code requires that the City Administrator secure council approval prior to authorizing any purchases over \$5,000.

NOW, THEREFORE BE IT RESOLVED, that the Mayor and City Council of the City of La Vista, due hereby award the purchase of a 2011 International 7300 SFA 4x2 Dump Truck from Cornhusker International Trucks, Inc., Omaha, Nebraska, in an amount not to exceed \$134,100.00.

PASSED AND APPROVED THIS 21ST DAY OF SEPTEMBER, 2010

CITY OF LA VISTA

Douglas Kindig, Mayor

ATTEST:

Pamela A. Buethe, CMC
City Clerk


Prepared For:

City of LaVista
 Greg Goldman
 9900 Cornhusker Rd.
 La Vista, NE 68128-3087
 (402)331 - 8927
 Reference ID: N/A

Presented By:

CORNHUSKER INTERNATIONAL TRUCKS, INC
 Rob Roane
 4502 S. 110th Street
 Omaha NE 68137 -
 (402)331-8801

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2011 7300 SFA 4X2 (SA515)

APPLICATION:

Front Plow and Wing with Spreader

MISSION:

Requested GVWR: 37000. Calc. GVWR: 37000

Calc. Start / Grade Ability: 40.70% / 2.07% @ 55 MPH

Calc. Geared Speed: 69.6 MPH

7.86 MPG @ 55 MPH

FUEL ECONOMY:

Wheelbase: 177.00, CA: 102.00, Axle to Frame: 61.00

DIMENSION:

{MaxxForce DT} EPA 10, 260 HP @ 2200 RPM, 660 lb-ft Torque @ 1300 RPM, 2400 RPM

ENGINE, DIESEL:

Governed Speed

TRANSMISSION, AUTOMATIC:

{Allison 3500_RDS_P} 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.

CLUTCH:

Omit Item (Clutch & Control)

AXLE, FRONT NON-DRIVING:

{Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity

AXLE, REAR, SINGLE:

{Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential Gear Ratio: 6.43

CAB:

Conventional

TIRE, FRONT:

(2) 12R22.5 HSC (CONTINENTAL) 483 rev/mile, load range H, 16 ply

TIRE, REAR:

(4) 11R22.5 HDR1 (CONTINENTAL) 495 rev/mile, load range G, 14 ply

SUSPENSION, REAR, AIR, SINGLE:

{Hendrickson PRIMAAEX} 23,000-lb Capacity, 9.0" Ride Height, With Shock Absorbers

PAINT:

Cab schematic 100GM

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
SA51500	Base Chassis, Model 7300 SFA 4X2 with 177.00 Wheelbase, 102.00 CA, and 61.00 Axle to Frame.	6614/3664	10278	\$65,368.00
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	130/318	448	\$983.00
1LLA	BUMPER, FRONT Steel, Swept Back	0/0	0	\$0.00
	<u>Includes</u>			
	: BUMPER, FRONT Powder Coated Gray (Argent) Color			
1WDS	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	140/-35	105	\$221.00
1WEV	WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)	0/0	0	\$0.00
2ARV	AXLE, FRONT NON-DRIVING {Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity	58/0	58	\$973.00
	<u>Notes</u>			
	: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.			
3ADD	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 14,000-lb Capacity; With Shock Absorbers	37/0	37	\$129.00
	<u>Includes</u>			
	: SPRING PINS Rubber Bushings, Maintenance-Free			
	<u>Notes</u>			
	: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.			
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0	\$0.00
	<u>Includes</u>			
	: BRAKE LINES Color and Size Coded Nylon			
	: DRAIN VALVE Twist-Type			
	: DUST SHIELDS, FRONT BRAKE			
	: DUST SHIELDS, REAR BRAKE			
	: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster			
	: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel			
	: PARKING BRAKE VALVE For Truck			
	: QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4			
	: SLACK ADJUSTERS, FRONT Automatic			
	: SLACK ADJUSTERS, REAR Automatic			
	: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4			
	<u>Notes</u>			
	: Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered.			
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank	0/0	0	\$0.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
	<u>Includes</u> : DRAIN VALVE Mounted in Wet Tank			
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	0/0	0	\$0.00
4EBD	AIR DRYER {Meritor Wabco System Saver 1200} with Heater	11/7	18	\$445.00
	<u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab			
4ESX	BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 SqIn	0/0	0	\$0.00
4EVL	BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake	0/0	0	\$0.00
	<u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Up To 54,000-lb.			
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers	0/0	0	\$265.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.			
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	0/0	0	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.			
4SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity	0/0	0	\$0.00
5708	STEERING COLUMN Tilting	10/0	10	\$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	0/0	0	\$0.00
5PSA	STEERING GEAR {Sheppard M-100} Power	0/0	0	\$0.00
7BEJ	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Outside Right Rail Under Cab; Includes Vertical Tail Pipe and Guard	0/0	0	\$738.00
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height) : MUFFLER/TAIL PIPE GUARD Non-Bright Finish			
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0	\$0.00
	<u>Includes</u> : BATTERY BOX Steel with Fiberglass Cover : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab			

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
	: FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered			
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1	\$18.00
8875	BATTERY TERMINALS Sealed	1/0	1	\$51.00
8GGZ	ALTERNATOR {Leece-Neville LBP2224H} Brush Type; 12 Volt 120 Amp. Capacity, Pad Mounted	0/0	0	\$0.00
8HAA	BODY BUILDER WIRING To Rear of Frame, With Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket	2/0	2	\$159.00
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total	5/1	6	\$56.00
8RGA	2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab	1/0	1	\$54.00
8RJV	RADIO {International} AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Speakers	0/0	0	\$338.00
	<u>Includes</u>			
	: SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior			
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3	\$120.00
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	2/0	2	\$64.00
8TKB	STOP, TURN, TAIL & B/U LIGHTS {Truck Lite} Super 44, With LED Bulbs for Stop, Turn & Tail Lights and Truck Lite Super 40 for Backup lights, With Power Module, "International" Termination and Less Junction Box	0/5	5	\$191.00
8WBW	JUMP START STUD Remote Mounted	2/0	2	\$83.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
<u>Includes</u>				
: JUMP START STUD Mounted to Battery Box				
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	0/0	0	\$0.00
8WCS	BATTERY DISCONNECT SWITCH {Joseph Pollak 51-315} Positive Type, Lever Operated, Cab Mounted	1/0	1	\$148.00
8WML	HEADLIGHTS Long Life Halogen; for Two Light System	0/0	0	\$22.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0	\$70.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0	\$42.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection	0/0	0	\$0.00
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	1/0	1	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	0/0	0	\$0.00
9585	FENDER EXTENSIONS Rubber	6/0	6	\$104.00
9ANG	HOOD, HATCH (01) for Servicing	4/0	4	\$444.00
9HBM	GRILLE Stationary, Chrome	5/0	5	\$0.00
9WAC	BUG SCREEN Front End; Mounted Behind Grille	5/0	5	\$131.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 Emissions	0/0	0	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0	\$0.00
<u>Includes</u>				
: PAINT SCHEMATIC ID LETTERS "GM"				
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	-63/-12	-75	\$0.00
12851	PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	10/0	10	\$87.00
12959	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1250 Watt	2/0	2	\$82.00
<u>Includes</u>				
: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door				
12NUP	ENGINE, DIESEL {MaxxForce DT} EPA 10, 260 HP @ 2200 RPM, 660 lb-ft Torque @ 1300 RPM, 2400 RPM Governed Speed	52/2	54	\$2,147.00
<u>Includes</u>				
: AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic				

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
	: ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : GOVERNOR Electronic : OIL FILTER, ENGINE Spin-On Type : WET TYPE CYLINDER SLEEVES			
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed	9/0	9	\$274.00
	<u>Includes</u> : FAN Nylon			
12UBB	RADIATOR Aluminum, Front to Back Cross Flow, Series System; 1663 SqIn Core and 885 SqIn Charge Air Cooler and 470 SqIn Low Temperature Radiator Down Flow	0/0	0	\$0.00
	<u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant; -40 Degrees F/ -40 Degrees C; for MaxxForce Engines : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber			
12UXG	FEDERAL EMISSIONS for 2010; MaxxForce DT Engines	0/0	0	\$6,000.00
12VAG	AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control	2/0	2	\$157.00
	<u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted			
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0	\$0.00
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxForce post 2007 Emissions Electronic Engines	0/0	0	\$45.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	0/0	0	\$0.00
13AJN	TRANSMISSION, AUTOMATIC {Allison 3500_RDS_P} 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.	0/0	0	\$8,613.00
	<u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan			
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil, for Allison or CEEMAT Transmission	25/0	25	\$667.00
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission	0/0	0	\$0.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0	\$203.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0	\$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	0/0	0	\$141.00
13WYL	SHIFT CONTROL PARAMETERS Allison Performance Programming in Primary and Allison Economy Programming in Secondary	0/0	0	\$0.00
14899	SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab	3/5	8	\$163.00
14ARB	AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential . Gear Ratio: 6.43	0/241	241	\$1,809.00
<u>Includes</u>				
: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle				
<u>Notes</u>				
: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.				
: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance				
14TBZ	SUSPENSION, REAR, AIR, SINGLE {Hendrickson PRIMAXX EX} 23,000-lb Capacity, 9.0" Ride Height, With Shock Absorbers	0/-76	-76	\$2,177.00
<u>Notes</u>				
: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.				
14WLB	AXLE, REAR, LUBE {EmGard 75W-90} Synthetic Oil; 30 thru 39.99 Pints	0/0	0	\$115.00
15SGJ	FUEL TANK Top Draw; D Style, Non Polished Aluminum, 50 U.S. Gal., 189 L Capacity, 16" Tank Depth, With Quick Connect Outlet, Mounted Left Side, Under Cab	-39/-17	-56	\$0.00
16030	CAB Conventional	0/0	0	\$0.00
<u>Includes</u>				
: ARM REST (2) Molded Plastic; One Each Door				
: CLEARANCE/MARKER LIGHTS (5) Flush Mounted				
: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window				
: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel				
: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted				
: GLASS, ALL WINDOWS Tinted				
: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side				
: GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side				

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
	: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door			
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	0/0	0	\$0.00
	<u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)			
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	1/0	1	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel	2/0	2	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0	\$0.00
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	27/12	39	\$191.00
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type			
16PJH	SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl	0/0	0	\$0.00
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type			
16SDL	MIRRORS (2) {Lang Mekra} Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatic Controlled, Black Heads, Brackets and Arms	0/0	0	\$102.00
16SEE	GRAB HANDLE Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar	3/0	3	\$118.00
16VHX	CAB MOUNTING HEIGHT EFFECTS High Cab in Lieu of Mid High Cab Mounting (Approx. 4.5")	0/0	0	\$0.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3	\$39.00
16WCT	AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster	0/0	0	\$823.00
	<u>Includes</u> : CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A			
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	0/0	0	\$0.00
16WJU	WINDOW, POWER (2) And Power Door Locks, Left and Right Doors, Includes Express Down Feature	5/0	5	\$367.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
16WKY	FRESH AIR FILTER for HVAC	4/0	4	\$0.00
16WRZ	CAB INTERIOR TRIM Premium	0/0	0	\$304.00
<u>Includes</u>				
	: "A" PILLAR COVER Molded Plastic			
	: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering			
	: CAB SOUND INSULATION Includes Dash and Engine Cover Insulators			
	: CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side			
	: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets, CB Radio Pocket, Speakers, and Reading Lights			
	: COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side			
	: DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors			
	: FLOOR COVERING Rubber, Black			
	: GAUGE, TEMPERATURE, AMBIENT Includes Compass Readout and Wiring and Sensor With Display Unit Mounted in Cluster			
	: HEADLINER Soft Padded Cloth			
	: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section			
	: STORAGE POCKET, DOOR (2) Molded Plastic (Carpet Texture), Full-Length; Driver and Passenger Doors			
	: SUN VISOR (3) Padded Vinyl: 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side			
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0	\$0.00
16WSL	MIRROR, CONVEX, HOOD MOUNTED (2) {Lang Mekra} for Left and Right Sides 7.44" Sq.	0/0	0	\$137.00
16XWJ	WINDSHIELD WIPER BLADES Snow Type	2/0	2	\$26.00
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 2 Hand Hole, 10 Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	0/0	0	\$47.00
<u>Includes</u>				
	: PAINT IDENTITY, FRONT WHEELS White			
	: WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings			
<u>Notes</u>				
	: Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5			
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	0/0	0	\$80.00
<u>Includes</u>				
	: PAINT IDENTITY, REAR WHEELS White			

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
	: WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings			
	<u>Notes</u>			
	: Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5			
7372135418	(4) TIRE, REAR 11R22.5 HDR1 (CONTINENTAL) 495 rev/mile, load range G, 14 ply	0/4	4	\$204.00
7382155408	(2) TIRE, FRONT 12R22.5 HSC (CONTINENTAL) 483 rev/mile, load range H, 16 ply	24/0	24	\$334.00
	Total of Product Features			\$96,872.00
	Cab schematic 100GM			
	Location 1: 9219, Winter White (Std)			
	Chassis schematic N/A			
	Total Component Weight:	7108/4122	11230	
	Total List Price Including Options:			\$96,872.00
1	10' Monroe RDS Body W/ Front Snow Plow, and Hydraulics as per Quote # 13566	0/0	0	\$62,942.00
	Total Body Allied:	0/0	0	\$62,942.00

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

<u>Description</u>	(USA DOLLAR)	<u>Price</u>
Factory List Prices:		
Product Items	\$96,872.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$96,872.00
Freight Charge	\$1,750.00	
Total Freight:		\$1,750.00
Total Factory List Price Including Freight:		\$98,622.00
Less Customer Allowance:		(\$27,464.00)
Total Vehicle Price:		\$71,158.00
Total Body/Allied Equipment:		\$62,942.00
Total Sale Price:		\$134,100.00
Total Per Vehicle Sales Price:		\$134,100.00
Net Sales Price:		\$134,100.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:**Accepted by Purchaser:**

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date



HAWKEYE TRUCK EQUIPMENT

5800 - 2ND AVENUE, P.O. BOX 3283
DES MOINES, IOWA 50316-0283
1-800-622-8223 • 515-289-1765

"The Complete Truck Equipment Center"

QUOTATION

Job No.	13566
Quote Date	09/09/10
Expire Date	10/09/10

Customer: 154100

CORNHUSKER INTERNATIONAL
4502 110TH STREET

OMAHA NE 68137

Terms:				
N10				
Contact:	THIS IS FOR THE CITY OF LA VISTA			

ATTN: ROB

PH: 402-290-6365

1-MONROE 10' R.D.S. COMBINATION DUMP BODY/SANDER, RADIUS DUMP BODY WITH A CENTER MOUNTED CONVEYOR THAT PULLS MATERIAL TO THE REAR OF THE BODY & DROPS ONTO A REAR MOUNT SPINNER, SPINNER IS REMOVABLE, 44" TALL SIDES WITH A 50" TALL TAILGATE, BODY IS CONSTRUCTED OF 3/16" MILD STEEL, FRONT MOUNT INVERTED TELESCOPIC CYLINDER, CONVEYOR IS 34" WIDE FOR MAXIMUM MATERIAL DISPLACEMENT, 28,000LB TENSILE STRENGTH CHAIN WITH BAR FLIGHTS ON 4-1/2" CENTERS, 8 TOOTH SPROCKETS WITH 2" DRIVE & IDLER SHAFTS, 1/2 CAB SHEILD, REAR RECESSED L.E.D. STROBES, AMBER L.E.D. STROBES IN THE FRONT & SIDES OF THE CAB SHEILD, SINGLE AXLE STEEL FENDERS, FOLD DOWN LADDER, LIGHTS, FLAPS, BODY WILL BE SHOT BLASTED, ALKALINE RINSED, POWDER COATED GREEN, AND BAKED ON FINISH.

1-MONROE LOAD SENSING HYDRAULIC SYSTEM, 6.0 C.I.D. CRANK DRIVEN PISTON PUMP, MONROE MMV MANIFOLD VALVE, ALL ELECTRIC OPERATION, MONROE "I" GRIP, SINGLE ELECTRONIC JOYSTICK CONTROLLER, ALL TO OPERATE S.A. PLOW UP/DN, D.A. PLOW ANGLE, S.A. MAIN HOIST UP/DN, 12 VOLT SPINNER, AUGER & PREWET, MONROE MC-270 CLOSED LOOP GROUND SPEED CONTROLLER, 40 GALLON "LS" RESERVOIR WITH SIGHT GLASS LOCATED BEHIND THE CAB ON TOP OF THE FRAME RAILS, VALVE ENCLOSURE, RETURN LINE FILTER, HOSES RAN TO THE FRONT & REAR OF CHASSIS FOR SNOW PLOW & SANDER FUNCTIONS, ALL COMPLETELY INSTALLED F.O.B. DES MOINES.

1- MONROE MP41R12-ISCT REVERSIBLE SNOW PLOW, 41" HIGH, 12' LONG, INTERGAL

*** CONTINUED NEXT PAGE ***



HAWKEYE TRUCK EQUIPMENT

5800 - 2ND AVENUE, P.O. BOX 3263
DES MOINES, IOWA 50316-0263
1-800-622-8223 • 515-289-1755

"The Complete Truck Equipment Center"

QUOTATION

Job No.	13566
Quote Date	09/09/10
Expire Date	10/09/10

Customer: 154100

CORNHUSKER INTERNATIONAL
4502 110TH STREET

OMAHA NE 68137

Terms				
N10				

Contact:

TH: Order Trk

SHIELD, 10 GAUGE ROLL FORMED MOLDBOARD, SIX 1/2"X4" TAPERED ONE PIECE FLAME CUT RIBS, 2"X3"X3/8" TOP MOLDBOARD ANGLE, 4"X4"X3/4" BOTTOM MOLDBOARD ANGLE, HORIZONTAL MOLDBOARD BRACE ANGLES, DUAL COMPRESSION TRIP SPRING ASSEMBLIES, 4"X4"X3/8" CROSSTUBE SUPPORT, 3-1/2"X3-1/2"X1/2" SEMI CIRCLE, TWO 3"X10 DA POWER REVERSE CYLINDERS WITH CUSHION VALVE, BUILT IN LEVEL LIFT, CONT. WELDED, MC6000 PLOW PORTION QUICK HITCH, MC7000 TRUCK MOUNTED HITCH (QUICK HITCH), THRUST ARMS, 4"X10" SA LIFT CYLINDER, SNOW PLOW LIGHTS, 12" RUBBER SNOW DEFLECTOR, POWDER COATED ORANGE/BLACK, COMPLETELY INSTALLED F.O.B. DES MOINES

ALSO INCLUDED IN THIS PRICE ARE THE FOLLOWING OPTIONS:

7 GPM CLOSED LOOP HYDRAULIC PRE-WET SYSTEM WITH (2) 75 GALLON TANKS

(2) EXTRA SNOW PLOW LIGHTS MOUNTED ON THE FRONT OF CAB SHEILD

12' PLOW IN LIEU OF 11'

MONROE PLOW QUICK HITCH IN LIEU OF PIN HITCH

FOLDING PICK ARM FOR PLOW LIFT IN LIEU OF STANDARD PICK ARM

SIDE MOUNT PIPING KIT FOR HYDRAULIC LINES INSTALLED

(2) HYDRAULIC SECTIONS FOR A WING TO BE ADDED LATER

BODY TO BE CONSTRUCTED OF 3/16" AR400 STEEL, SIDES, INSIDE TAILGATE SHEET, FRONT HEAD, AND AR400 STEEL CHAIN COVER INCLUDED ! ! !

Sub total	\$ 62,942.00
Sales Tax	\$ 0.00
Freight	\$ 0.00
FET	\$ 0.00
Total	\$ 62,942.00